

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A refrigerating machine oil composition, comprising consisting of:

a base oil consisting of at least one type base oil selected from the group consisting of mineral oils, hydrocarbon-based oils, aromatic esters, esters of C5-C10 linear aliphatic dibasic acids, polyesters polyol esters, complex esters, carbonic acid esters, polyoxyalkylene glycols, polyvinyl ethers, ketones, polyphenyl ethers, silicones, polysiloxanes, and perfluoroethers wherein a kinematic viscosity of the base oil ranges from 12 mm<sup>2</sup>/s to 195 mm<sup>2</sup>/s at 40 °C;

a phosphorothionate selected from tricresyl phosphorothionate, triphenyl phosphorothionate, and tri(n-octyl) phosphorothionate;

a phosphorus-based extreme pressure agent other than said phosphorothionate selected from tricresyl phosphate, triphenyl phosphate, and tri(n-octyl) phosphate; and

an oil agent selected from butyl stearate, diisobutyl adipate, diisodecyl adipate, glycerin monooleate, glycerin trioleate, oleyl alcohol, and glycetyl ether, and optionally

a benzotriazole and/or its derivative,

an epoxy compound, a

phenol-based antioxidant,

an amine-based antioxidant,

an anti-abrasion agent,

a chlorinated paraffin,

a sulfur-based extreme pressure agent,  
an antifoaming agent,  
a visocisty index improver,  
a pour point depressant, and  
a detergent dispersant.

2-3. (Cancelled).

4. (Currently Amended) A refrigerating machine oil composition according to claim 1, ~~further comprising an epoxy compound wherein the content of the epoxy compound is 0.1-5.0 wt % based on the total weight of the composition.~~

5. (Cancelled).

6. (Currently Amended) A refrigerating machine oil composition according to claim 1, wherein said oil agent contains at least one type selected from among ~~esters of monobasic acids and monohydric alcohols, and esters of linear dibasic acids and monohydric alcohols.~~

7. (Cancelled).

8. (Currently Amended) A refrigerating machine oil composition according to claim 1, wherein ~~said oil agent includes an ester oil agent, and the content of said~~

[[ester]] oil agent is 0.1-5.0 wt % based on the total weight of the composition.

9. (Currently Amended) A refrigerating machine oil composition according to claim 1, wherein said base oil contains at least one type selected from among esters of polyhydric alcohols and monobasic fatty acids, and said oil agent contains at least one selected from among ~~esters of monobasic acids and monohydric alcohols, and~~ esters of linear dibasic acids and monohydric alcohols.

10. (Currently Amended) A refrigerating machine oil composition, ~~comprising~~ consisting of:

a base oil consisting of at least one type base oil selected from the group consisting of mineral oils, hydrocarbon-based oils, aromatic esters, esters of C5-C10 linear aliphatic dibasic acids, ~~polyesters~~ polyol esters, complex esters, carbonic acid esters, polyoxyalkylene glycols, polyvinyl ethers, ketones, polyphenyl ethers, silicones, polysiloxanes, and perfluoroethers;

a phosphorus-based extreme pressure agent; and

at least one oil agent selected from ~~esters of monobasic acids and monohydric alcohols, butyl stearate, diisobutyl adipate, diisodecyl adipate, glycerin monooleate, glycerin trioleate, oleyl alcohol, and glyceryl ether, and optionally~~

a benzotriazole and/or its derivative,

an epoxy compound,

a phenol-based antioxidant,

an amine-based antioxidant,

an anti-abrasion agent,  
a chlorinated paraffin,  
a sulfur-based extreme pressure agent,  
an antifoaming agent,  
a visocisty index improver,  
a pour point depressant, and  
a detergent dispersant,

wherein the content of said phosphorous-based extreme pressure agent is 0.1-5.0 wt % based on a total weight of the composition, and

wherein the content of said oil agent is 0.1-5.0 wt % based on the total weight of the composition.

11. (Previously Presented) A refrigerating machine oil composition according to claim 10, wherein said phosphorus-based extreme pressure agent contains a phosphorothionate.

12. (Previously Presented) A refrigerating machine oil composition according to claim 10, wherein said phosphorus-based extreme pressure agent contains both a phosphorothionate and a phosphorus-based extreme pressure agent other than said phosphorothionate.

13. (Currently Amended) A refrigerating machine oil composition according to claim 10, ~~further comprising an epoxy compound~~

wherein the content of said epoxy compound is 0.1-5.0 wt % based on the total weight of the composition.

14-16. (Cancelled).

17. (Previously Presented) A refrigerating machine oil composition according to claim 1,

wherein a pour point of the base oil ranges from -40 °C to -25 °C.

18. (Cancelled).